


BUILDING SUCCESSFUL BIOTECHS MIT TECHNOLOGY BREAKFAST

Christoph Westphal MD PhD, Chair and CEO, NASDAQ: VSTM


Success in Biotech



Sirtris - The Idea: Sirtuins Control Aging



VSTM IDEA: Targeting Cancer Stem Cells for a Durable Response



THE IDEA: Verastem is at the Forefront of Cancer Stem Cell Biology




Identification of Selective Inhibitors of Cancer Stem Cells by High-Throughput Screening Gupta, Weinberg, Lander, et al. 2009



The Epithelial-Mesenchymal Transition Generates Cells With Properties of Stem Cells Mani, Weinberg, et al. 2008



Hallmarks of Cancer: The Next Generation Hanahan, Weinberg. 2011



The New York Times

THE WALL STREET JOURNAL.

Other companies involved in cancer stem cell drug development





















Success in Biotech – THE PEOPLE





Verastem, Sirtris, etc – THE PEOPLE: Boston Biotech

38 REPORT



ren entscheidende Fortschritte gemacht. Seit den dreißiger Jahren ist bekannt, dass Mäuse bei bester Gesundheit länger leben, wenn die Kalorienzufuhr auf ein Mindestmaß beschränkt wird. Erst seit etwa zehn Jahren sind die Forscher dabei zu entschlüsseln, warum diese sogenannte Kalorienrestriktion funktioniert: Offenbar aktiviert sie bestimmte Proteine, die das Erbgut besonders gut verpacken können, die Sirtuine.

David Sinclair, Professor an der Harvard University, machte sich auf die Suche nach Substanzen, die die Aktivität der Sirtuin-Proteine steigern können, vor allem von Sirtuin I (Sirt1), einer der sieben Sirtuin-Varianten des Menschen. Er stieß
auf Resveratrol, einen Stoff, der auch im Rotwein vorkommt.
Allein durch Gabe einer kräftigen Dosis Resveratrol erhöhte
sich die Lebenserwartung von Hefezellen um 70 Prozent – und
in ähnlichem Ausmaß auch die von Fliegen, Würmern, Fischen
und Mausen. Diese Arbeit elektrisierte Westphal. Pann veröffentlichte Sindair Ergebnisse, nach denen Resveratrol in der
Lage war, übergewichtigen, zuckerkranken Mansen die gleiche
Lebenserwartung zu verschaffen wie normal gefütterten Nagem. Westphal sah sofort das Potenzial einer Pille gegen die
epidemieartig zunehmenden Diabeteserkrankungen weltweit
– mit der Option, auch das Leben selbst zu verlängern.

An diesem Punkt setzt der Sirtris-Chef ein emstes Gesicht auf "Unser Ziel ist nicht, das Leben zu werlangern. Das Ziel ist, ein neues, sicheres Medikament gegen Altersdiabetes zu entwickeln." Denn auch wenn er einen solchen Effekt nicht ausschließen will, würde wohl nicht einmal ein Christoph. Westphal genug Geld zusammenbekommen, um die elend langwierige klinische Studie zu finanzieren, die eine lebensverlängernde Wirkung beweisen könnte. Beim Nachsinnen darüber verfällt er ins Englische: Antibiotika hätten die Lebenserwartung um zwei bis drei Jahre verlängert, Hygienemaßnahmen wie Händewaschen und die Kanalisation der Abwässer um mindestens fünf bis zehn Jahre. Krebsmedikamente schätzungsweise um ein bis zwei Jahre. Das Aktivieren von Sirtuinen hat in allen getessteten Tiermodellen die Lebenserwartung um dreißig bis siebzig Prozent erhöht "That can change the world", sagt Westphal, "als ich das zum ersten Mal gelesen habe, dachte ich sofort, das könnte wichtiger sein als Google."

PÜNKTLICH UND MIT OFFENER TÜR

Während das Sirtris-Medikament den Alterungsprozess hemmen soll, tut CEO Westphal alles dafür, dass sein Unternehmen so schnell wie möglich heranreift. Mitunter vielleicht sogar etwas zu schnell, meint Co-Vorstand Bohlin, der selbst schon ein Unternehmen von der Größe Sirtris' zum eigenstandigen Pharmauntermehmen mit 1600 Mitarbeitern aufgebaut hat: "Christoph ist schnell, aber manchmal ist es besser, über eine Entscheidung etwas länger nachzudenken."

Irgendwelche typisch deutschen Charakterzüge! Michelle Dipp fällt dazu nur die notorische Punktlichkeit ihres Cheis ein. Hierarchie-Denken bingegen sei ihm vollig fremd, seine Burotur immer offen. Denn Distanz zum Management kann gerade bei jungen Biotechfirmen todlich sein, sagt Westphal, und seine Rolle als Santa Claus erscheint in einem ganz anderen Licht "Nur so sagen mir die Leute auch wirklich, was Sache ist, wenn ein ernstes Problem auftritt oder ein Fehler gemacht wurde." Die "beer hour", bei der jeden Freitagnach-

TECHNOLOGY REVIEW November 2007





Founding Team

























Scientific Advisory Board

Robert Weinberg, Ph.D. Whitehead Institute/MIT Co-founder & Chairman of SAB

Peter Elliott, Ph.D.

Former SVP/Head – R & D, SIRT (now GSK)

Millennium (co-developed Velcade®)

Eric Lander, Ph.D.

Broad Institute/MIT/HMS

Pioneer of Human Genome Project

Richard Sackler, M.D.

Chairman - Purdue Pharma

Joseph (Yossi) Schlessinger, Ph.D.

Yale Medical School

Cofounder: Sugen (Pfizer), Plexxikon (Daiichi-Sankyo)

Phil Sharp, Ph.D.

MIT – 1993 Nobel Prize in Medicine

Cofounder: Biogen, Alnylam; Sirtris SAB

Roger Tung, Ph.D.

President & CEO/Cofounder – Concert

Vertex (co-invented Lexiva® and Agenerase®)

Chris Walsh, Ph.D.

Harvard Medical School

Cofounder: Genzyme, Vicuron; Sirtris SAB

Translational Research

José Baselga, M.D., Ph.D. Physician in Chief

Memorial Sloan-Kettering

George Daley, M.D., Ph.D. Director - Stem Cell Program

Harvard Medical School/HHMI

Max Wicha, M.D. Director – University of Michigan

Comprehensive Cancer Center

Director - MGH Cancer Center

Daniel Haber, M.D., Ph.D.

Harvard Medical School/HHMI

Eric Winer, M.D.

Director – Breast Oncology Center Dana Farber Cancer Institute/HMS



Verastem Team

Executive Management

Christoph Westphal, M.D., Ph.D.

Chairman/CEO, Cofounder

Cofounder/CEO: MNTA, ALNY, SIRT (now GSK)

Cofounder: Alnara (now Lilly), OvaScience

Robert Forrester

President/COO

CEO/CFO, CombinatoRx (now ZLCS)

SVP, COLY (now Pfizer)

Joanna Horobin, M.B., Ch.B.

Chief Medical Officer

President, Syndax Pharmaceuticals

VP, Oncology, Rhone-Poulenc Rorer (now Sanofi)

Jonathan Pachter, Ph.D.

VP, Head of Research

Head of Cancer Biology, OSI (now Astellas)

Schering-Plough (now Merck)

Daniel Paterson

VP, Head of Corporate Development and Diagnostics

CEO: The DNA Repair Co. (now On-Q-ity)

PharMetrics (now IMS), Axion

Board of Directors

Henri Termeer

Lead Director

Former CEO/Chair Genzyme

Richard Aldrich

Longwood Fund

John K. Clarke

Cardinal Partners

Michael Kauffman, M.D., Ph.D.

CEO Karyopharm, former CMO Onyx

Alison Lawton


Former Genzyme (now Sanofi)

Louise Phanstiel

BOD: Cedars Sinai, MYGN




Success in Biotech – THE FINANCING





Financing Plan for Risk Mitigation



Finance appropriately to buy the time to do the right science, the right clinical trials...the right way



Finance appropriately to buy the time to do the right science and the right clinical trials to evaluate your hypothesis

| Investors | Series A | Series B | Series C |
|----------------------------------|----------|----------|----------|
| Longwood Fund | ✓ | ≠ | ≠ |
| Bessemer Venture Partners | ≠ | ≠ | ✓ |
| Cardinal Healthcare Partners | ≠ | ≠ | ≠ |
| MPM Capital | ≠ | ≠ | ≠ |
| Astellas Venture Fund | | 4 | 4 |
| Advanced Technology Ventures | | ✓ | ✓ |
| Eastern Capital | | | ✓ |
| H & Q Life Sciences / Healthcare | | | ✓ |
| Peter Lynch | | | ✓ |


- \$131.7 million raised
- Cash balance 9/30/12: \$97.4 million ¹
- 22 Full-time employees ²



¹Cash balance includes investments at 9/30/12


²Full-time employee count is as of 9/30/2012

Success in Biotech



Verastem: Key Highlights


- Drugs targeting cancer stem cells for a durable clinical response
- Three product candidates:
 - Focal Adhesion Kinase (FAK)
 - VS-6063
 - VS-4718
 - PI3K/mTOR
 - VS-5584




- Potentially pivotal study of VS-6063 planned for mid-2013
- Strong balance sheet and team to execute development plan



Verastem is Targeting 3 Critical Cancer Stem Cell Pathways




FAK is Critical for Cancer Stem Cells



- FAK drives tumor-initiating capability
- FAK is a critical pathway for cancer stem cells
- FAK is a key regulator in disease progression

Weinberg et. al.; Cancer Discovery 2012 Aug;2(8):706-21



VS-6063 – Lead FAK Inhibitor

- Good safety profile and initial signs of activity in Phase 1
- Oral administration dosed twice daily (BID)
- Potentially pivotal study in mesothelioma planned to initiate midyear 2013
- Phase 1/2 in combination with paclitaxel in ovarian cancer


FAK Enzymatic $IC_{50} = 24 \text{ nM}$ FAK Cellular $EC_{50} = 28 \text{ nM}$

Composition of matter though 2029




Mesothelioma

- Highly aggressive and lethal disease where chemotherapy is not curative (12 month median survival)
 - -~12,000 cases WW (2,500-3,000 in US) increasing incidence in AUS, JP, UK, EU
- Alimta + cisplatin is only approved drug treatment for mesothelioma
- VS-6063 targets and kills CSCs in contrast to Alimta



GSK Clinical Data: Initial Proof of Concept for FAK Inhibitors in Mesothelioma



¹ Historical data from Vorinostat Phase 3 (Krug et al; ESMO 2011)

² Phase 1 trial of GSK2256098 presented at EORTC-NCI-AACR Molecular Therapeutics meeting (Nov. 6-9, 2012)



Potentially Pivotal Study in Malignant Pleural Mesothelioma (MPM)

- Patient Population:
 - Controlled disease post-first line therapy with Alimta + cisplatin
- Study Design:
 - -Randomized, double blind, placebo controlled study
 - -Stratification based on Merlin status (LabCorp) with an adaptive enrichment design
 - Endpoints of Progression Free Survival and Overall Survival
- Anticipated Initiation: mid-2013
- Potentially pivotal study that may allow for approval

Typical Treatment of Advanced Mesothelioma

1st line 4-6 cycles Alimta + cisplatin

Duration: ~4mo

Maintenance Setting VS-6063 or Placebo


Chemo

PFS: 6wks



Ovarian Cancer – Driven by Cancer Stem Cells

- 225,000 cases WW and 22,000 in the US
 - 15,000 deaths per year in US
- 85% of ovarian cancers are diagnosed late-stage and demonstrate a rapid development of resistance to chemotherapy
- Platinum based therapy is initially active but not curative
 - Increases the proportion of cancer stem cells
 - No standard of care for platinum refractory disease
- Activity of VS-6063 observed in ovarian cancer during Phase 1



Mean survival (high/low) 1.7 vs 3.2yrs





Phase 1/2 Ovarian Program: VS-6063 in Combo with Paclitaxel

- Patient Population:
 - Recurrent, advanced ovarian cancer patients
 - -Progressed on prior treatment with platinum-based therapy
- Study Design:
 - Dose escalation of VS-6063+paclitaxel in all-comers
 - Expansion cohort with platinum resistant disease receiving VS-6063+paclitaxel
 - -Endpoints: Efficacy, safety, tolerability, PK, PD and biomarkers
- Number of Patients: ~20-30
- Status: Recruiting
- Combination with paclitaxel paves the way to other indications



The Promise of Personalized Medicine: Cancer Stem Cell Diagnostics





Key Intellectual Property

CSC biology and biomarkers




Cancer non-stem cells

Cancer stem cells


- ✓ Progenitor Cells and Uses Thereof (Expiration 2026) 1
- ✓ Methods of Diagnosing, Preventing and Treating Cancer Metastasis. (Expiration 2025)²
- ✓ Compositions and Methods for Modulating EMT and Uses Thereof (Expiration 2031) ¹

High-throughput screening of CSCs



✓ A Method for the Discovery of Agents Targeting and Exhibiting Specific Toxicity for Cancer Stem Cells. (Expiration 2029) ¹





✓ Inhibitors of Focal Adhesion Kinase

VS-6063²

✓ Expiration 2029

VS-4718 ¹

✓ Expiration 2028-2031

✓ Inhibitors of PI3K/mTOR

VS-5584 ¹

✓ Expiration 2029



¹ Pending patent application


² U.S. patent issued

Sufficient Capital to Execute on Proposed Development Plan

\$131.7 million raised

Cash balance 9/30/12 \$97.4 million

22 Full-time employees



^{*} Potential regulatory filing for approval following this study

Estimates based on proposed clinical plans. Alternatives are being considered













JENNISON ASSOCIATES



Building Biotech Companies


Key Learnings:

- 1. All about idea, people, financing
- 2. The money buys you time to do the right things (for the science, and for our patients)
- 3. Need amazing science and compelling vision to have a chance at success
- 4. Importantly, you need to FOCUS to get something amazing done

Verastem Team







Cell-of-Origin Determines Tumor Morphology and **Behavior**

(Standard medium)

(Special medium)

| | HMLER | BPLER |
|-------------------------------|--------------------------------|--|
| Ductal differentiation | No | Yes |
| Invasion | Minimal | Yes |
| Stromal recruitment | Minimal | Yes |
| Metastasis | No | Yes |
| Tumorigenicity | 106 cells needed to seed tumor | <10 ² cells needed to seed tumor |

Tan Ince

Cell -of -Origin Determines Tumor Morphology and **Behavior**

| (St | (Standard medium) | |
|------------------------|-----------------------------------|--|
| | HMLER | BPLER |
| Ductal differentiation | No | Yes |
| Invasion | Minimal | Yes |
| Stromal recruitment | Minimal | Yes |
| Metastasis | No | Yes |
| Tumorigenicity | 106 cells needed to seed tumor | <10 ² cells needed to seed tumor |

Differing concentrations of tumor-initiating cells (correlated) with differing metastatic propensities




Figure 11.16b The Biology of Cancer (© Garland Science 2007)






Figure 11.16b The Biology of Cancer (© Garland Science 2007)


How do cancer cells actually metastasize? The invasion-metastasis cascade:




How do cancer cells cobble together the diverse traits that are required in concert to negotiate the successive steps of the invasion-metastasis cascade??



A solution to the problem of invasion & metastasis **Implanted (human)** cytokeratin-positive cancer cells (therefore <u>epithelial</u>) Invasive cell **<u>human</u>** vimentin-positive (therefore mesenchymal cells recruited mouse stroma of human origin)









Figure 14.13a *The Biology of Cancer* (© Garland Science 2007)

These cells

an EMT


have undergone

A group of pleiotropically acting **master regulators** that choreograph **EMT** at various stages of embryogenesis



The epithelial-mesenchymal transition **EMT** is a complex, multi-faceted program involving multiple changes in cell


properties.




epithelial mesenchymal




Model: Cancer cells appropriate early embryogenic programs in order to acquire traits of high-grade malignancy





How many steps of the invasion-metastasis cascade can the EMT Twist program enable?




How many steps of the invasion-metastasis cascade can the EMT program enable?











Induction of EMT by Snail and Twist EMT-inducing Tecals also generates CD44hi CD24lo cells

CD44^{hi}/CD24^{lo} (position of stem cells)






S.A.Mani & W. Guo

The epithelial-mesenchymal transition (EMT) is a complex, multi-faceted program involving multiple changes in cell

properties.





EMT and cancer progression


- 1. Normal cells induced to undergo an EMT acquire stem-cell properties.
 - a. CD44hiCD24lo antigenic phenotype
 - b. Ability to form mammospheres indefinitely
- 2. Same outcome with cancer cells
- 3. Epithelial cells in culture that are naturally CD44^{hi}CD24^{lo} show mesenchymal morphology; same is true of cells from reduction mammoplasty
- 4. Transient exposure to Snail or Twist causes descendants of exposed cells to form mammospheres indefinitely (as gauged by serial passage).

Hence, induction of an EMT allows cancer cells

- a. To disseminate
- b. To become self-renewing


This means that the EMT program holds at least two dangers for the cancer patient.


More aggressive carcinomas are often more mesenchymal i.e., contain cancer cells that have undergone an EMT




Buck, E. et al. Mol Cancer Ther 2007;6:532-541

Human (pancreatic, NSCLC, CRC)









Human HNSCC


E. Buck et al. 2007, Mol. Cancer Therap.



Various human tumor cells were implanted in host mice and their responsiveness to therapy was then tested.

BA Frederick et al., 2011, Cancer Res.






Therapy kills epithelial cells (preferentially)

Epithelial cells ≠ SCs

Therapy kills non-SCs

Most currently used chemotherapeutics kill non-CSCs preferentially.


Putative effects of eliminating the non-CSCs therapeutically




CSC = cancer stem cell


Most currently used chemotherapeutics kill non-CSCs preferentially.

CSC = cancer stem cell



Force epithelial cancer cells to undergo an EMT and acquire stem-cell traits







Use the EMT to generate essentially unlimited numbers of CSCs

HTS: Screen 16000 compounds Salinomycin selectively kills cancer stem cells


CSC-targeted agents




Salinomycin (1uM)



Conventional chemotherapeutics




Paclitaxel (2.5nM)



CSCs

Non-CSCs


Vehicle control




P. Gupta (Lander) & T. Onder

But is this the answer to cancer??


HTS: Screen 15000 compounds
Salinomycin selectively kills cancer stem cells




P. Gupta (Lander) & T. Onder) cells



This is the desired response to an anti-CSC treatment:



This is the desired response to an anti-CSC treatment:



Our conclusion: Durable clinical responses in solid tumors will require targeting both populations of cells:

